

Subscribe (Full Service) Register (Limited Service, Free) Login

The ACM Digital Library Search: O The Guide

THE ACM DIGITAL LIBRARY

<u>Feedback</u>

(word and processing and markup and language and field and structures and properties) Found Published before December 2004 159 of Terms used: 246,218

word processing markup language field structures properties

Sort results by Display results	relevance expanded form	Save results to a Binder	Refine these results with
results		Open	Advanced Search Try this search in The ACM Guide

Results 1 - 20 of 159 Result page: 1 2 3 4 5 6 7 8 next

An XML-based visual shading language for vertex and fragment shaders

Frank Goetz, Ralf Borau, Gitta Domik

April Web3D '04: Proceedings of the ninth international conference on 3D Web

2004 technology

Publisher: ACM

Full text available: pdf(570.33 KB)

Additional Information: full citation, abstract, references, cited by,

index terms

Bibliometrics: Downloads (6 Weeks): 7, Downloads (12 Months): 78, Citation Count: 1

This paper presents a new system for the visual development of complex vertex and fragment shaders. The system makes usage of the advantages of visual programming languages. The core of the system is a Java program. With this program users can develop ...

Keywords: Extensible 3D (X3D), Extensible Markup Language (XML), dataflow programming, fragment shader, shading languages, vertex shader, visual programming

2 Towards a road map on human language technology: natural language

processing

Andreas Eisele, Dorothea Ziegler-Eisele

August COLING-02 on A roadmap for computational linguistics - Volume 13,

2002 Volume 13

Publisher: Association for Computational Linguistics

Full text available: pdf(270.05

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>

Bibliometrics: Downloads (6 Weeks): 15, Downloads (12 Months): 131, Citation Count: 0

This document summarizes contributions and discussions from two workshops that took place in November 2000 and July 2001. It presents some visions of NLP-related applications that may become reality within ten years from now. It investigates the technological ...

3 UnQL: a query language and algebra for semistructured data based on structural recursion

Peter Buneman, Mary Fernandez, Dan Suciu

March The VLDB Journal — The International Journal on Very Large Data

2000 Bases, Volume 9 Issue 1 **Publisher:** Springer-Verlag New York, Inc.

Full text available: pdf(414.32 Additional Information: full citation, abstract, references, cited by, KB) index terms

Bibliometrics: Downloads (6 Weeks): 10, Downloads (12 Months): 59, Citation Count: 28

This paper presents structural recursion as the basis of the syntax and semantics of query languages for semistructured data and XML. We describe a simple and powerful query language based on pattern matching and show that it can be expressed using structural ...

Keywords: Optimization, Query language, Semistructured data, Structural recursion, XML, XSL

4 Towards a semantics for XML markup

Allen Renear, David Dubin, C. M. Sperberg-McQueen

November DocEng '02: Proceedings of the 2002 ACM symposium on Document

2002 engineering

Publisher: ACM

Full text available: pdf(72.89 Additional Information: full citation, abstract, references, cited by,

KB) index terms

Bibliometrics: Downloads (6 Weeks): 16, Downloads (12 Months): 92, Citation Count: 3

Although XML Document Type Definitions provide a mechanism for specifying, in machine-readable form, the syntax of an XML markup language, there is no comparable mechanism for specifying the *semantics* of an XML vocabulary. That is, there is no ...

Keywords: SGML, XML, knowledge representation, markup, semantics

5 XrML -- eXtensible rights Markup Language



Xin Wang, Guillermo Lao, Thomas DeMartini, Hari Reddy, Mai Nguyen, Edgar Valenzuela November XMLSEC '02: Proceedings of the 2002 ACM workshop on XML security 2002

Publisher: ACM

Full text available: pdf(466.82 Additional Information: full citation, abstract, references, cited by, KB) index terms, review

Bibliometrics: Downloads (6 Weeks): 11, Downloads (12 Months): 90, Citation Count: 2

XrML (eXtensible rights Markup Language) is an XML-based language for digital rights management (DRM), providing a universal method for specifying rights and conditions associated with the use and protection of digital content and services. Originally ...

Keywords: DRM, XML, content distribution and usage, digital rights management, rights, specification languages, standards

6 Streams, structures, spaces, scenarios, societies (5s): A formal model for digital



libraries

Marcos André Gonçalves, Edward A. Fox, Layne T. Watson, Neill A. Kipp April ACM Transactions on Information Systems (TOIS), Volume 22 Issue 2 2004

Publisher: ACM

Full text available: pdf(316.85 Additional Information: full citation, abstract, references, cited by, index terms, review

Bibliometrics: Downloads (6 Weeks): 35, Downloads (12 Months): 409, Citation Count: 13

Digital libraries (DLs) are complex information systems and therefore demand formal foundations lest development efforts diverge and interoperability suffers. In this article, we propose the fundamental abstractions of Streams, Structures, Spaces, Scenarios, ...

Keywords: applications., definitions, foundations, taxonomy

Traversals of object structures: Specification and Efficient Implementation

Karl Lieberherr, Boaz Patt-Shamir, Doug Orleans

ACM Transactions on Programming Languages and Systems March

2004 (TOPLAS), Volume 26 Issue 2

Publisher: ACM

Full text available: pdf(333.93 Additional Information: full citation, abstract, references, cited by,

> KB) index terms, review

Bibliometrics: Downloads (6 Weeks): 6, Downloads (12 Months): 84, Citation Count: 5

Separation of concerns and loose coupling of concerns are important issues in software enginnering. In this paper we show how to separate traversal-related concerns from other concerns, how to loosely couple traversal-related concerns to the structural ...

Keywords: Aspect-oriented programming, Low of Demeter, adaptive programming, class graphs, object graphs, strategy graphs, structure-shy software

On original generation of structure in legal documents



Steven O. Kimbrough, Thomas Y. Lee, Balaji Padmanabhan, Yinghui Yang

ICAIL '03: Proceedings of the 9th international conference on Artificial June

2003 intelligence and law

 \overline{KB}

Publisher: ACM

Full text available: pdf(183.31

Additional Information: full citation, abstract, references

Bibliometrics: Downloads (6 Weeks): 4, Downloads (12 Months): 24, Citation Count: 0

This position paper advocates a vision in the development of automated legal reasoning and presents evidence supporting the plausibility of that vision. The paper observes that original creation of documents of legal import in either fully formal or ...

Unsupervised monolingual and bilingual word-sense disambiguation of medical documents using UMLS

Dominic Widdows, Stanley Peters, Scott Cederberg, Chiu-Ki Chan, Diana Steffen, Paul Buitelaar

July Proceedings of the ACL 2003 workshop on Natural language processing

in biomedicine - Volume 13, Volume 13 2003

Publisher: Association for Computational Linguistics

Full text available: pdf(163.45

KB)

Additional Information: full citation, abstract, references, cited by

Bibliometrics: Downloads (6 Weeks): 3, Downloads (12 Months): 15, Citation Count: 1

This paper describes techniques for unsupervised word sense disambiguation of English and German medical documents using UMLS. We present both monolingual techniques which rely only on the structure of UMLS, and bilingual techniques which also rely on ...

10 Methods for the semantic analysis of document markup



Petra Saskia Bayerl, Harald Lüngen, Daniela Goecke, Andreas Witt, Daniel Naber November DocEng '03: Proceedings of the 2003 ACM symposium on Document

2003 engineering

Publisher: ACM

Full text available: pdf(230.61

Additional Information: full citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 9, Downloads (12 Months): 48, Citation Count: 0

We present an approach on how to investigate what kind of semantic information is regularly associated with the structural markup of scientific articles. This approach addresses the need for an explicit formal description of the semantics of textoriented ...

Keywords: XML, information extraction, prolog, semantic analysis

11 Speaking with hands: creating animated conversational characters from



recordings of human performance

Matthew Stone, Doug DeCarlo, Insuk Oh, Christian Rodriguez, Adrian Stere, Alyssa Lees, Chris Bregler

August SIGGRAPH '04: ACM SIGGRAPH 2004 Papers

2004

Publisher: ACM

Full text available: pdf(240.69 KB) mov(25:14 MIN)

Additional Information: full citation, abstract,

references, cited by,

index terms

Bibliometrics: Downloads (6 Weeks): 59, Downloads (12 Months): 183, Citation Count: 7

We describe a method for using a database of recorded speech and captured motion to create an animated conversational character. People's utterances are composed of short, clearly-delimited phrases; in each phrase, gesture and speech go together meaningfully ...

Keywords: animation, conversational agents, language generation, motion capture, motion synthesis, speech synthesis

Complete answer aggregates for treelike databases: a novel approach to combine querying and navigation



Holger Meuss, Klaus U. Schulz

April ACM Transactions on Information Systems (TOIS), Volume 19 Issue 2 2001

Publisher: ACM

Full text available: pdf(356.60 Additional Information: full citation, abstract, references, cited by, index terms

Bibliometrics: Downloads (6 Weeks): 10, Downloads (12 Months): 59, Citation Count: 4

The use of markup languages like SGML, HTML or XML for encoding the strucutre of documents or linguistic data has lead to many databases where entries are adequately described as trees. In this context querying formalisms are interesting that offer the ...

Keywords: SGML, XML, answer presentation, information retrieval, logic, query languages, semistructured data, structured documents, tree databases, tree matching

13 Proximal nodes: a model to query document databases by content and structure



Gonzalo Navarro, Ricardo Baeza-Yates

October ACM Transactions on Information Systems (TOIS), Volume 15 Issue 1997

Publisher: ACM

Full text available: pdf(550.43 Additional Information: full citation, abstract, references, cited by, index terms, review

Bibliometrics: Downloads (6 Weeks): 15, Downloads (12 Months): 106, Citation Count: 25

A model to query document databases by both their content and structure is presented. The goal is to obtain a query language that is expressive in practice while being efficiently implementable, features not present at the same time in previous work. ...

Keywords: expressivity and efficiency of query languages, hierarchical documents, structured text, text algebras

14 Spatial interpretation of domain objects integrated into a freeform electronic



whiteboard

Thomas P. Moran, William van Melle, Patrick Chiu

November UIST '98: Proceedings of the 11th annual ACM symposium on User

1998 interface software and technology

Publisher: ACM

Full text available: pdf(130.78

KB)

Additional Information: full citation, references, cited by, index terms

Bibliometrics: Downloads (6 Weeks): 7, Downloads (12 Months): 54, Citation Count: 8

Keywords: customization, freeform interaction, gestural interfaces user interface design, implicit stucture, informal systems, list structures, metting support tools, penbased systems, recognition-based systems, tailorability, witeboard metaphor

15 Information extraction from biomedical literature: methodology, evaluation and an



application

L. Venkata Subramaniam, Sougata Mukherjea, Pankaj Kankar, Biplav Srivastava, Vishal S. Batra, Pasumarti V. Kamesam, Ravi Kothari

November CIKM '03: Proceedings of the twelfth international conference on

2003 Information and knowledge management

Publisher: ACM

Full text available: pdf(261.28 Additional Information: full citation, abstract, references, cited by,

KB) index terms

Bibliometrics: Downloads (6 Weeks): 9, Downloads (12 Months): 100, Citation Count: 5

Journals and conference proceedings represent the dominant mechanisms of reporting new biomedical results. The unstructured nature of such publications makes it difficult to utilize data mining or automated knowledge discovery techniques. Annotation ...

Keywords: biological document processing, information extraction

16 PELLPACK: a problem-solving environment for PDE-based applications on



multicomputer platforms

E. N. Houstis, J. R. Rice, S. Weerawarana, A. C. Catlin, P. Papachiou, K.-Y. Wang, M. Gaitatzos

Gaitatzes

March ACM Transactions on Mathematical Software (TOMS), Volume 24 Issue

1998 1 Publisher: ACM

Full text available: pdf(26.30 Additional Information: full citation, abstract, references, cited by,

<u>1B)</u> index terms, review

Bibliometrics: Downloads (6 Weeks): 6, Downloads (12 Months): 53, Citation Count: 18

The article presents the software architecture and implementation of the problem-solving environment (PSE) PELLPACK for modeling physical objects described by partial differential equations (PDEs). The scope of this PSE is broad, as PELLPACK incorporates ...

Keywords: PDE language, execution models, knowledge bases, libraries, parallel reuse methodologies, problem-solving environments, programming-in-the-large, sofeware bus

17 Speaking with hands: creating animated conversational characters from



recordings of human performance

Matthew Stone, Doug DeCarlo, Insuk Oh, Christian Rodriguez, Adrian Stere, Alyssa Lees, Chris Bregler

August ACM Transactions on Graphics (TOG), Volume 23 Issue 3

2004

Publisher: ACM

Full text available: pdf(240.69 KB) mov(25:14

Additional Information: full citation, abstract, references, cited by,

index terms

Bibliometrics: Downloads (6 Weeks): 59, Downloads (12 Months): 183, Citation Count: 7

We describe a method for using a database of recorded speech and captured motion to create an animated conversational character. People's utterances are composed of short, clearly-delimited phrases; in each phrase, gesture and speech go together meaningfully ...

Keywords: animation, conversational agents, language generation, motion capture, motion synthesis, speech synthesis

18 Rapper: a wrapper generator with linguistic knowledge



David Mattox, Len Seligman, Ken Smith

November WIDM '99: Proceedings of the 2nd international workshop on Web

1999 information and data management

Publisher: ACM

Full text available: pdf(822.05 Additional Information: full citation, abstract, references, cited by,

KB) index terms

Bibliometrics: Downloads (6 Weeks): 0, Downloads (12 Months): 12, Citation Count: 3

Database management systems are becoming available for semistructured data, however, these tools cannot be used on many real-world data sources (e.g., most web sites) in their native form. Often, wrappers are needed to extract information ...

Keywords: discovering structure, information extraction, semistructured data, web databases, wrapper generation

Mapping and displaying structural transformations between XML and PDF

Matthew R. B. Hardy, David F. Brailsford

November DocEng '02: Proceedings of the 2002 ACM symposium on Document

2002 engineering

Publisher: ACM

Full text available: pdf(439.03 Additional Information: full citation, abstract, references, cited by,

> KB) index terms

Bibliometrics: Downloads (6 Weeks): 10, Downloads (12 Months): 93, Citation Count: 2

Documents are often marked up in XML-based tagsets to delineate major structural components such as headings, paragraphs, figure captions and so on, without much regard to their eventual displayed appearance. And yet these same abstract documents, after ...

Keywords: PDF, XML, document structure transformation

20 The case for explicit knowledge in documents



Leslie Carr, Timothy Miles-Board, Arouna Woukeu, Gary Wills, Wendy Hall

October DocEng '04: Proceedings of the 2004 ACM symposium on Document

2004 enaineerina

Publisher: ACM

Full text available: pdf(296.38 Additional Information: full citation, abstract, references, cited by,

index terms

Bibliometrics: Downloads (6 Weeks): 9, Downloads (12 Months): 51, Citation Count: 3

The Web is full of documents which must be interpreted by human readers and by software agents (search engines recommender systems clustering processes < i> etc. </i>
</i>). Although Web standards have addressed format obfuscation by using XML schemas ...

Keywords: document structure, knowledge writing, semantic web

Results 1 - 20 of 159 Result page: 1 3 4 5 7 6 8 next

>>

The ACM Portal is

published by the Association for Computing Machinery. Copyright © 2008 ACM, Inc.

Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat

OuickTime

Windows Media Player